

## CLAIMS:

1. An apparatus for the generation and application of a set of rules to transform source content into result content for a content receiving device, the apparatus comprising:
  - a source content area for retrieving the source content;
  - an analyzer for identifying separate elements within the source content and assigning an identifier to each element;
  - a result content area providing selective placement of the elements according to a desired layout;
  - a rule generator for generating a set of transformation rules for transforming the source content into the result content according to their selective placement; and
  - an application device for applying the transformation rules to the source content that is requested by the content receiving device.
2. The apparatus according to Claim 1, wherein the source content area and result content area are part of a graphical editing tool.
3. The apparatus according to Claim 2, wherein editing tools provide for graphical placement of source content from the source content area into the result content area as result content.
4. The apparatus according to Claim 1, wherein a storage device is used to store the transformation rules for access by the application device.
5. The apparatus of Claim 1, wherein the application device is a server device.
6. The apparatus of Claim 5, wherein the server device is a proxy server device that receives a request for source content, retrieves the source content from a corresponding web server device, and transforms the source content to result content according to the transformation rules.

FOI b7E b7C b7D b7F b7G b7H b7I b7J b7K b7L b7M b7N b7O b7P b7Q b7R b7S b7T b7U b7V b7W b7X b7Y b7Z b8A b8B b8C b8D b8E b8F b8G b8H b8I b8J b8K b8L b8M b8N b8O b8P b8Q b8R b8S b8T b8U b8V b8W b8X b8Y b8Z b9A b9B b9C b9D b9E b9F b9G b9H b9I b9J b9K b9L b9M b9N b9O b9P b9Q b9R b9S b9T b9U b9V b9W b9X b9Y b9Z

7. The apparatus of Claim 2, wherein the graphical editing tool is running on a design station device.

8. The apparatus of Claim 7, wherein the design station device is in communication with the application device in order to provide the transformation rules.

9. The apparatus of Claim 1, wherein the source content and result content includes web page information, and the content receiving device is a web enabled device.

10. An apparatus for automatic generation of transform rules for use in displaying web content information on web enabled devices having different display capabilities, the apparatus comprising:

at least one web site having web content information for display on the different web enabled devices;

at least one proxy server device;

at least one design station in communication with the at least one proxy server device;

a web page editor running on the at least one design station, whereby a source web page is retrieved and the layout of a result web page is formed according to the different device capabilities; and

a rule generator associated with the web page editor for generating a set of transform rules to convert the source page to the result page, the transform rules being communicated to the at least one proxy server device,

wherein the web enabled devices request information from the at least one web site through the at least one proxy server which applies the transform rules to the requested information.

11. The apparatus according to Claim 10, wherein the web page editor includes a source content area and result content area as part of a graphical design tool having editing tools.

09768732.012401

12. The apparatus according to Claim 11, wherein the editing tools provide for graphical placement of source content from the source content area into the result content area as result content.

13. The apparatus according to Claim 12, wherein a storage device is used to store the transformation rules for access by the proxy server device.

14. A graphical design apparatus for transforming source content to result content according to the display capabilities of a result content receiving device, the apparatus comprising:

a first display area for displaying the source content;  
a second display area for displaying the result content,  
a set of graphical tools whereby the source content can be graphically moved with the tools from the first area to the second area to form a result layout; and  
a rule generator for generating a set of transformation rules to transform the source content to the result layout, the rules being formed according to use of the graphical tools and the result layout.

15. The graphical design apparatus of Claim 14, which further includes an analyzer that separates the source content into elements and assigns an identifier to each element for use by the graphical tools.

16. The graphical design apparatus of Claim 14, which further includes a proxy server device for applying the set of transformation rules to the source content to form the result content when the source content is requested by the result content receiving device.

17. The graphical design apparatus of Claim 16, wherein the proxy server device retrieves source content from server devices according to requests from the result content receiving device.

18. The graphical design apparatus of Claim 17, wherein the rule generator is in communication with the proxy server device.
19. The graphical design apparatus of Claim 18, wherein the communication includes a network link.
20. The graphical design apparatus of Claim 19, wherein the network link includes the Internet.
21. The graphical design apparatus of Claim 18, wherein the communication includes a wireless link.
22. A method for providing information content according to the capabilities of a receiving device, the method comprising:
- retrieving source information content;
  - arranging result information content from the source information content according to the capabilities of the receiving device;
  - generating transformation rules according to the transformation between the source information content and the result information content; and
  - applying the appropriate transformation rules to the source information content when the content is requested by the receiving device.
23. The method according to Claim 22, wherein the arranging step uses a graphical editor with a set of graphical editing tools for arranging the result information.
24. The method according to Claim 23, wherein the graphical editor displays the source information content in one area and the result information content in another area, and the source information content is selectively placed in the result display area.
25. The method according to Claim 22, which further includes: analyzing the source information content for elemental components and assigning an identifier to each element.

26. The method according to Claim 22, which further includes: providing for selectable templates in the result display area to facilitate layout of the result information content.

109768732-012401